



WHP Telecoms Ltd, Helena House, Troy Mills, Troy Road, Leeds LS18 5GN

Our Ref: 76610

14<sup>th</sup> June 2021

FAO The Parish Clerk  
Bracebridge Heath Parish Council  
Bracebridge Heath Community Library  
London Road  
Bracebridge Heath  
Lincolnshire  
LN4 2LA

Dear Sir/Madam,

**Preliminary Inquiry**

**Subject: Proposed Telecommunications Installation For**

**EE UK Ltd & H3G UK**

We are in the process of selecting a site located within the Lincoln area. The purpose of this letter and its enclosures is to invite you to enter into a pre application discussion in relation to the selected option/s prior to the submission of a formal planning application.

As you will see from the enclosed plan on behalf of EE UK Ltd we have already undertaken several steps in the site identification process having examined the Radio Communications Agency Mast Register, our record of other operator's sites and the councils own mast register. In addition, the policies in the council's development plan have been examined and any relevant planning history of the site.

Site Name/Address	Land off Bath Road Recreation Ground Bath Road Bracebridge Heath Lincoln Lincolnshire LN4 2TU
NGR	E: 498427, E: 367357
Type of Installation	Proposed 30m high FLI Slimline Lattice Tower on new 6.85x6.85x1.2m deep concrete base with 6No. antenna apertures at 330°/150°/230° and associated ancillary works.



**WHP Telecoms Ltd, Helena House, Troy Mills, Troy Road, Leeds LS18 5GN**

The exact location of the site and a detailed description can be found on the enclosed drawing Ref: 76610.

The site identified has been rated under the voluntary Ten Commitments Traffic Light Rating System.

All EE UK Ltd installations are designed to be fully compliant with the public exposure guidelines established by the International Commission on Non-Ionizing Radiation Protection (ICNIRP). These guidelines have the support of UK Government, the European Union and they also have the formal backing of the World Health Organisation. A certificate of ICNIRP compliance will be included within the planning submission.

We look forward to receiving your comments on the option identified and your views on the consultation strategy. Finally, we would be interested in any local stakeholders or groups that you consider would like to know more about our proposals.

We would be grateful for any comments you have on the site and/or agreement to a meeting.

Yours sincerely,

Susannah Help  
[s.help@whptelecoms.com](mailto:s.help@whptelecoms.com)